



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Friday, May 29, 2015** at 12:15 a.m. Eastern Time. Please [contact NSF International](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=0H900&Standard=061&>

NSF/ANSI 61 Drinking Water System Components - Health Effects

NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. [Click here for a list of Abbreviations used in these Listings.](#) [Click here for the definitions of Water Contact Temperatures denoted in these Listings.](#)

Epro Services, Inc.

P.O. Box 347
Derby, KS 67037
United States
800-882-1896
316-262-2513

Facility : # 1 Kansas City, MO

Protective (Barrier) Materials

Trade Designation	Water Contact Size Restriction	Water Contact Temp	Water Contact Material
Coatings - Tank Ecoline-S[1]	>= 5,000,000 gal.	CLD 23	ASPH

[1] Number of Coats: 1
 Maximum Field Use Dry Film Thickness (in mils): 60
 Maximum Thinner: None
 Final Cure Time and Temperature: 24 hours at 75°F

Facility : # 2 Kansas City, MO

Protective (Barrier) Materials

Trade Designation	Water Contact Size Restriction	Water Contact Temp	Water Contact Material
Coatings - Tank			
Ecoline-R[1] [2]	>= 500,000 gal.	CLD 23	ASPH

[1] Number of Coats: 3
 Maximum Field Use Dry Film Thickness (in mils): 90
 Maximum Thinner: None
 Recoat/Cure Time: 30 minutes at 23°C
 Final Cure Time: 10 days at 23°C

[2] Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Number of matching Manufacturers is 1
 Number of matching Products is 2
 Processing time was 0 seconds